



Collide: Ceiling / Wall

cod: H0, H1, H2, H3



Light Source	ACRICHE HV LED
Power (H0)	17 Watt
Power (H1) (H2)	34 Watt
Power (H3)	51 Watt
Kelvin	2.700, 3.000
Dimmer	phase
Lumen (H0)	1.700
Lumen (H1) (H2)	3.400
Lumen (H3)	5.100
CRI	90

## Catalogue



## Satin Collection (upon request)



## Kerakoll Warm Collection (upon request)




## Metallic Collection (upon request)



# COLLIDE H4

## TECHNICAL DRAWING



## MAIN SPECIFICATIONS

Light Source	Power	Kelvin	Driver	Lumen	CRI	IP
ACRICHE HV LED	74W	2.700	Phase	6.000	90	20
ACRICHE HV LED	74W	3.000	Phase	6.000	90	20


## CATALOGUE



White  
(matt)

## CUSTOM COLOURS ON DEMAND

### SATIN COLLECTION



### KERAKOLL WARM COLLECTION




### METALLIC COLLECTION



# COLLIDE H5

## TECHNICAL DRAWING



## MAIN SPECIFICATIONS

Light Source	Power	Kelvin	Driver	Lumen	CRI	IP
ACRICHE HV LED	80W	2.700	Phase	7.500	90	20
ACRICHE HV LED	80W	3.000	Phase	7.500	90	20

## CATALOGUE



White  
(matt)

## CUSTOM COLOURS ON DEMAND

### SATIN COLLECTION



### KERAKOLL WARM COLLECTION




### METALLIC COLLECTION



## COLLIDE H6

### TECHNICAL DRAWING



### MAIN SPECIFICATIONS

Light Source	Power	Kelvin	Driver	Lumen	CRI	IP
ACRICHE HV LED	80W	2.700	Phase	7.300	90	20
ACRICHE HV LED	80W	3.000	Phase	7.300	90	20


### CATALOGUE



White  
(matt)

### CUSTOM COLOURS ON DEMAND

#### SATIN COLLECTION



#### KERAKOLL WARM COLLECTION



#### METALLIC COLLECTION

